

# GROUPING OF CSS SELECTORS

## Description

---

If more than one CSS selectors have same CSS declarations, they can be grouped together.

## syntax

---

```
selector1, selector2, selector3,..... selectorN {property : value; ..... }
```

Where, selector1, ..... selectorN are different selectors. Notice that here selectors are separated with "," combinators.

## Example of Grouping of CSS selectors

### CSS code :

---

```
h1,h2,h3 { color: darkred; /* color of h1 h2 h3 should be darkred */ font-variant: small-caps; /* h1 h2 h3 should be in small caps */ }
```

### HTML code :

---

[view plain](#) [print](#)

```
1. <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
2. <html>
3. <head>
4. <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
5. <title>Example of Grouping of CSS selectors</title>
6. <link rel='stylesheet' href='CSS-grouping-of-selectors-simple-example.css' type='text/css'>
7. </head>
```

```
8. <body>
9. <h1>Example of CSS.</h1>
10. <h2>Example of CSS selector.</h2>
11. <h3>Example of grouping of CSS selectors.</h3>
12. </body>
13. </html>
```

View this [simple example of Grouping of CSS selectors](#) in a separate browser window.

## Advanced Example of Grouping of CSS selectors

---

In this example it is shown that if you are grouping a selector which is within another selector, with some more selectors, then mention the full name ( i.e. name of both of the selectors ) of the selector, for the selector residing within another one.

### CSS code :

---

```
#w3r p, h1 h2 h3 { color: darkred; /* color of p within w3r id and h1 h2 h3 should be darkred */ font-variant: small-caps; /*p within w3r id and h1 h2 h3 should be in small caps */ }
```

### HTML code :

---

[view plain](#) [print?](#)

```
1. <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
2. <html>
3. <head>
4. <meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
5. <title>Advanced Example of Grouping of CSS selectors</title>
6. <link rel='stylesheet' href='CSS-grouping-of-selectors-advanced-example.css' type='text/css'>
7. </head>
```

```
8. <body>
9. <h1>Example of CSS.</h1>.
10. <h2>Example of CSS selector.</h2>
11. <h3>Example of grouping of CSS selectors.</h3>
12. <div id="w3r">
13. <p>Lorem ipsum dolor sit amet, consectetur adipiscing elit. Donec a urna e
    lit.</p>
14. </div>
15. </body>
16. </html>
```

## Result

---

# EXAMPLE OF CSS.

## EXAMPLE OF CSS SELECTOR.

### EXAMPLE OF GROUPING OF CSS SELECTORS.

LOREM IPSUM DOLOR SIT AMET, CONSECTETUR ADIPISCING ELIT. DONEC A URNA ELIT.

View this [advanced example of Grouping of CSS selectors](#) in a separate browser window.

Source : <http://www.w3resource.com/css/selectors/grouping-of-CSS-selectors.php>