

REFERENCES

1. http://shodhganga.inflibnet.ac.in/bitstream/10603/2451/12/12_chapter%206.pdf.
2. A.Ratnakumari, A. Rajeswari and K. Sobha, A Specific and Sensitive Assay For Gefitinib Using Methods In Pharmaceutical Dosage Forms, *Pharmanest, An International Journal of Advances In Pharmaceutical Sciences*, Vol.1 (1) Sep-Oct-2010.
3. Zhao M, Hartke C, Jimeno A, Li J, He P, Zabelina Y, Hidalgo M, Baker SD. Specific method for determination of gefitinib in human plasma, mouse plasma and tissues using high performance liquid chromatography coupled to tandem mass spectrometry. *J Chromatogr B Analyt Technol Biomed Life Sci*, 2005; 819(1):73-80.
4. Tetsuya Saita, Hiroshi Fujito and Masato Mori. A Specific and Sensitive Assay for Gefitinib Using the Enzyme-Linked Immunosorbent Assay in Human Serum. *Biological & Pharmaceutical Bulletin*, 2005; Vol. 28, 1833-1837.
5. PVV. Satyanarayana, M. Murali, Development and Validation of LC Method for the Estimation of Gefitinib in Pharmaceutical Dosage Form, *IJRPC* 2011, 1(3)
6. Madireddy Venkataramanna, Indukuri Venkata Somaraju, Kondra Sudhakar Babu, Identification of Degradant Impurity in Gefitinib by Using Validated RRLC Method, *American Journal of Analytical Chemistry*, 2011, 2, 75-83
7. D. Peer Basha, K. Ravi Shankar and G. V. N. Kiranmayi, Development and Validation of a Sensitive Reversed-Phase HPLC Method For The Determination Of Gefitinib in Bulk and In Its Pharmaceutical Formulation, *Int. J. Chem. Sci.*: 10(1), 2012, 437-448.
8. V .Kiran Kumar, N Appala Raju, Shabana Begum, Jvln Seshagiri Rao and T Satyanarayana, The Estimation of Gefitinib in Tablet Dosage Forms by RP-HPLC, *Research J. Pharm. and Tech.* 2 (2): April.-June. 2009.